

“ We are committed to provide high quality wheels with our vast range so buyers can grow and forget about their wheel requirements. ”



P. L. AGRO TECH

Making Leaders
Providing support for
any wheel requirements

contact

+91-9997040970
+91- 01398- 253612

C-117, Industrial Estate extension, Panipat
Road, Shamli

plagrotech@gmail.com

A GLIMPSE AT
OUR PRODUCT
RANGE



Wheel Sizes:

3.62x12

3.62x14


4.50x16

5.50x16

5.50x20

AND
MANY
OTHERS

John Deere



Massey Ferguson



Mahindra Arjun

Tractor Rear Wheels



Swaraj, Mahindra, Eicher, Zeter, Massey,
John Deere, New Holland, Arjun, Escorts,
Sonalika, UTB 650, 8x32, 5911



LOCK TYPE WHEEL RIMS



A COMPLETE
RANGE OF
LOCK TYPE
WHEELS

To Ensure all your Wheel
Reuirements are met with us!

7.50x 15

7.50x 16

7.50x 20

9.00x 20

10.00x 20



ALSO MANUFACTURE ADV WHEELS AXLES TRAILOR WHEELS AXLES



High Quality, Perfect
Fitment, Best Pricing

Quality is all that we promise to deliver to our precious customers, on time delivery of materials is possible with huge stock capabilities ensuring to meet customers requirements.

BORE SIZE AVAILABLE

8 Hole (Trolley Type)
5 hole (ADV)
5hole (Orrisa bore)

TYRE SIZE AVAILABLE

9x16, 7.50x16, 10.00x20

DOUBLE SECTION /DOUBLE PLATE/ BOLTED WHEEL



OFFERED RANGE OF PRODUCTS:

TRACTOR FRONT WHEELS

TRACTOR REAR WHEELS

TRACTOR REAR RIMS

ADV WHEELS

THRESURE WHEELS

DOUBLE PLATE WHEELS

LOCK TYPE WHEEL

KARA KANNI WHEEL

EXPORT WHEELS

TRAILOR WHEELS

TRAILOR AXLES

ADV AXLES

THRESURE AXLES

EXPORT AXLES

AXLES WITH BREAK DRUM



NATURE OF BUSINESS:

MANUFACTURER,
EXPORTER / SUPPLIER

ESTABLISHED:

2013

NO. OF PRODUCTION UNITS:

3

NO. OF EMPLOYEES:

70

OEM MANUFACTURING:

YES

WAREHOUSING:

YES



plagrotech@gmail.com

CONTACT DETAILS

117, INDUSTRIAL ESTATE,
PANIPAT ROAD, SHAMLI

Phone: +91-9997040970
LL: +91-01398-253612

ABOUT P L AGRO TECH

**A GLOBAL & SMALL-SCALE
PROVIDER**

WITH YEARS OF EXPERTISE AND EXPERIENCE, P L AGRO TECH IS PROUD TO BE REGARDED AS A MANUFACTURING LEADER. EVERY DECISION IS INSPIRED BY OUR MAIN MISSION, WHICH IS TO PROVIDE THE HIGHEST STANDARD OF PRODUCT AND SERVICES TO BOTH RETAILERS AND CUSTOMERS.

IN THIS RAPIDLY CHANGING INDUSTRY, WE'VE REALIZED THE IMPORTANCE OF CONTINUALLY UPDATING OUR APPROACH TO STAY RELEVANT IN THE MARKET, AND ARE COMMITTED TO JUST THAT. WE INVITE YOU TO BROWSE THROUGH OUR INVENTORY AND CONTACT US WITH ANY QUESTIONS.



**AN ISO 9001:2008
CERTIFIED COMPANY**

LEADERS

**THE EXPERIENCE
OF
GENERATIONS
IN
AGRICULTURAL
IMPLEMENTS
AND OEM
SUPPLIES**



“
**HARROW
DISC
BLADES**
”



PRODUCT RANGE OF P L AGRO TECH, SHAMLI



WORLD OF DISC

We are known as the prominent
Manufacturer and Supplier of
Agricultural Disc Blades

A wide exposure and deep
understanding of the industry gives
us an insight into the needs of the
changing market.

STAR TRAILS

The range of our Agricultural Disc
Blades includes Concave Disc Blade,
Notched Disc Blade, Flat Disc Blade
and Plough Disc Blade.

We are focused at a broader
perspective of all the agricultural
products and thus we aim to reach
the global market by providing the
utmost customer satisfaction.



CONCAVE DISC BLADE

- Disc Size 610mm
- Concavity 82.5mm
- Bevel Length 22mm

*Size Ranging from 406.4mm to 660.4mm in diameter and 3mm to 8mm in thickness
Material High Carbon Steel is primarily used to manufacture agricultural disc blades*

NOTCHED DISC BLADE

- Disc Size 560mm
- Concavity 70mm
- Bevel Length 22mm
- Nos. of Scallop 11 nos.

*Size Ranging from 406.4mm to 660.4mm in diameter and 3mm to 8mm in thickness
Material High Carbon Steel is primarily used to manufacture agricultural disc blades*

Cross Rolling Disc blades made out of cross-rolled sheets



COULTER DISC BLADE FLAT TYPE

Disc Size 460mm

Concavity 82.5mm

Bevel Length 15mm

Size Ranging from 406.4mm to 660.4mm in diameter and 3mm to 8mm in thickness

Material High Carbon Steel is primarily used to manufacture agricultural disc blades

PLOUGH DISC BLADE

Disc Size 660mm

Concavity 82.5mm

Bevel Length 28mm

Size Ranging from 406.4mm to 660.4mm in diameter and 3mm to 8mm in thickness

Material High Carbon Steel is primarily used to manufacture agricultural disc blades





**DISC WITH NO
CENTER HOLE/
PILOT HOLE**

HOLES AVAILABLE



- > Round Hole With Keyway
- > Star Hole for Multiple Square Axles
- > Hex Hole
- > Square Hole
- > Round Hole
- > Square Holes With Round Edges

OTHER FEATURES

- > CAN PROVIDE REQUIREMENT SPECIFIC BLADES AS PER CUSTOMERS NEED
- > DISC SIZE CAN BE ADJUSTED TO MEET CUSTOMERS REQUIREMENT
 - > OEM PRODUCTS ALSO AVAILABLE
 - > WEIGHT OF DISCS CAN BE ADJUSTED BY THICKNESS
 - > MANUFACTURE ALMOST ALL TYPES OF HARROW DISC BLADES
- > COLOUR CAN BE REQUIREMENT SPECIFIC

WE BELIEVE IN MAKING ETHICAL DEALS WITH OUR CLINTES SPREAD AROUND THE GLOBE, FOCUSING ON THEIR REQUIREMENTS.

> TIMELY DELIVERY

> EXPERT KNOWLEDGE

> FLAWLESS PRODUCTS

> SOUND INFRASTRUCTURE

> UPDATED MACHINERY

> BLESSED EXPERIENCE OF GENERATIONS

**OUR
STRENGTHS**



+91- 9997040970

+91- 01398- 253612



C-117, Industrial Estate
Extn.
Panipat Road, Shamli



plagrotech@gmail.com

WHY US?

WE AT P. L. AGRO TECH MAKE SURE TO USE HIGH GRADE MATERIALS TO MANUFACTURE OST DESIREABLE QUALITY OF PRODUCTS IN OUR WELL EQUIPPED PRODUCTION UNIT.

> HIGH TENSILE STRENGTH

> FINE FINISH

> ACCURATE DIMENSIONS

> EN42 STEEL

> HIGH QUALITY LONG LASTING PAINTS

> HIGH CARBON STEEL

> IMPORTED QULITY MATERIALS

> USE BRANDED QUINCHING OILS